



4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements about a SAP-ingress policy is FALSE?

- A. It maps customer traffic to forwarding classes on ingress.
- B. It can use customer QoS markings to do the mapping.
- C. The default SAP-ingress policy classifies all traffic into FC "be" with low priority.
- D. It serves the classification, queuing, and marking functions of QoS but does not serve scheduling

Correct Answer: D

QUESTION 2

Click the exhibit button below. Given the SAP-ingress policy, which of the following statements are TRUE? (Choose three)



```
A:srl1a>config>qos>sap-ingress# info
-----
queue 1 create
exit
queue 3 profile-mode create
  rate 50000 cir 10000
  exit
queue 5 create
  parent "high" level 7 weight 100 cir-level 7
  rate 30000 cir 20000
  exit
queue 6 create
  parent "high" level 8 weight 100 cir-level 8
  rate 2000 cir 2000
  exit
queue 11 multipoint create
exit
fc "af" create
  queue 3
  profile in
exit
fc "ef" create
  queue 6
exit
fc "h2" create
  queue 5
exit
ip-criteria
  entry 10 create
    match protocol tcp
      dst-port eq 1234
    exit
    action fc "ef" priority high
  exit
  entry 15 create
    match protocol udp
    exit
    action fc "h2"
  exit
  entry 20 create
    match protocol icmp
    exit
    action fc "h2"
  exit
exit
default-fc af
```

- A. All AF traffic will be marked "in-profile" at the SAP-ingress.
- B. All TCP traffic will be mapped to forwarding class EF.
- C. UDP traffic is placed in queue 3 while ICMP traffic is placed in queue 5.
- D. EF traffic will receive higher scheduling priority than H2 traffic.



E. Traffic that does not match any of the IP criteria will be placed in queue 3.

Correct Answer: ADE

QUESTION 3

Which of the following are NOT ingress matching criteria for a network policy? (Choose two)

- A. TCP port numbers
- B. LSP EXP
- C. DSCP
- D. Source and destination IP addresses
- E. Dot1p priority

Correct Answer: AD

QUESTION 4

Which of the following components are NOT configured in a hierarchical scheduler policy?

- A. Queue parameters with which the queue will compete for bandwidth.
- B. The level of hierarchy with which a group of schedulers is associated.
- C. Bandwidth controls that limit each child scheduler or child queues associated with the scheduler.
- D. The maximum bandwidth that the parent scheduler can offer its child queues or schedulers.

Correct Answer: C

QUESTION 5

Click the exhibit button below. Given that the slope-policy (below) has been enabled and applied on a network port, which of the following statements are TRUE? (Choose three)



```
A:srl1a>config>qos>slope-policy# info detail
-----
description "slope policy"
high-slope
  start-avg 50
  max-avg 70
  max-prob 60
  no shutdown
exit
low-slope
  start-avg 10
  max-avg 20
  max-prob 80
  no shutdown
exit
time-average-factor 0
-----
```

- A. All out-of-profile traffic will be dropped before any in-profile is dropped.
- B. The time average factor of 0 will discard all packets arriving in the shared buffer pool.
- C. When the shared buffer utilization reaches 51%, in-profile packets might be dropped.
- D. The highest probability with which an out-of-profile packet can be dropped is 20%.
- E. When an in-profile packet arrives and the shared buffer utilization is at 69%, the packet will have approximately a 60% likelihood of being discarded.

Correct Answer: ACE

[4A0-107 PDF Dumps](#)

[4A0-107 Study Guide](#)

[4A0-107 Braindumps](#)