



# 4A0-107<sup>Q&As</sup>

Alcatel-Lucent Quality of Service

## Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-107.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When using an egress port scheduler, which scheduling loop priority are orphaned queues serviced on?

- A. 1st
- B. 8th
- C. 9th
- D. 17th

Correct Answer: A

---

### QUESTION 2

What is the maximum number of SAP-ingress policies that can be applied on a SAP?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5
- F. 8

Correct Answer: A

---

### QUESTION 3

A service provider is using GRE for his transport tunnel on the Nokia 7750 SR. How can traffic be marked as it traverses the service provider's network? (Choose two)

- A. Using dot1p bits of the 802.1q Ethernet frame header
- B. Using DSCP bits within the ToS field of the IP packet header.
- C. Using the IP precedence bits within the ToS field of the IP packet header.
- D. Using the CLP bit of the ATM cell header.
- E. Using the EXP bits of the MPLS transport label header.

Correct Answer: AB

---



**QUESTION 4**

Click the exhibit button below. Given the output of the #show pools 1/2/2 network-egress command on a GigE port, what can the service provider deduce? (Choose two)

```
A:srl1a>config# show pools 1/2/2 network-egress

=====
Pool Information
=====
Port          : 1/2/2
Application   : Net-Egr          Pool Name      : default
Resv CBS     : Sum
=====

Utilization          State   Start-Avg  Max-Avg   Max-Prob
-----
High-Slope          Down    70%       90%       80%
Low-Slope           Up      10%       50%       80%

Time Avg Factor    : 7
Pool Total        : 20480 KB
Pool Shared       : 12288 KB          Pool Resv      : 8192 KB

Pool Total In Use : 704 KB
Pool Shared In Use : 192 KB          Pool Resv In Use :
512 KB
WA Shared In Use  : 1 KB

Hi-Slope Drop Prob : 0          Lo-Slope Drop Prob : 0
=====
FC-Maps           MBS      Depth  A.CIR    A.PIR
                  CBS
-----
be 12             192      190    0         1000000
                  0         0         Max
af                10240    456    250000   1000000
                  1792     250000   Max
l1                5120     0      250000   1000000
                  512      250000   Max
h2                10240    0      1000000  1000000
                  1792     Max      Max
ef                10240    0      1000000  1000000
                  1792     Max      Max
h1                512      0      100000   10000
                  512      100000  10000
nc                5120     0      100000   1000000
                  512      100000  Max
```

- A. QoS is not configured on the router.
- B. Packets in forwarding classes "be" and "12" are being queued.



- C. Traffic belonging to forwarding class "ef" is not experiencing queuing delays.
- D. Traffic belonging to forwarding class "11" will never make use of the shared buffer pool.
- E. Out-of-profile traffic in the shared buffer pool is being dropped.

Correct Answer: BC

---

#### QUESTION 5

Which of the following statements about behavior aggregate and multi-field classification in a Nokia 7750 SR is TRUE?

- A. Multi-field classification can use both MAC criteria and IP criteria in the same SAP-ingress QoS policy.
- B. Behavior aggregate classification can use both lsp-exp and dscp in the same SAP-ingress QoS policy.
- C. Multi-field classification cannot use both IP criteria and IPv6 criteria in the same SAP-ingress QoS policy.
- D. Behavior aggregate classification cannot use both dot1p and lsp-exp in the same SAP-ingress QoS policy.

Correct Answer: D

[4A0-107 PDF Dumps](#)

[4A0-107 Practice Test](#)

[4A0-107 Study Guide](#)