



# C2090-623<sup>Q&As</sup>

IBM Cognos Analytics Administrator V11

## Pass IBM C2090-623 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-623.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Where can a report or dashboard be saved?

- A. folder, package, My content
- B. data module, package, folder
- C. hidden folder, My content, data module
- D. Top Level of Team content, folder, package

Correct Answer: A

While you are working on your custom dashboard, save it locally in the My content folder. When you finish creating your dashboard, you can make it available to users with the WCM Report User role by copying it to your custom dashboard folder in Team Content. When you finish creating your dashboard, you can make it available to users with the WCM Report User role by copying it to your custom dashboard folder in Team Content.

References: [https://www.ibm.com/support/knowledgecenter/en/SSRMV7/com.ibm.iwcm.doc/care/t\\_reporting\\_create\\_dashboards.html](https://www.ibm.com/support/knowledgecenter/en/SSRMV7/com.ibm.iwcm.doc/care/t_reporting_create_dashboards.html)

---

### QUESTION 2

In a LifeCycle Manager Project, a user can create either a Benchmark task or a Comparison task. Which statement is INCORRECT when describing the application of Benchmark tasks?

- A. Benchmark tasks can be used as a benchmark test for any LifeCycle Manager Project.
- B. Benchmark tasks can be used to create a benchmark test to run Compatible Query Mode (CQM) reports as Dynamic Query (DQ) reports.
- C. When creating a Benchmark task, the administrator can choose whether to validate reports before they are run, and whether to run the reports in Dynamic Query Mode (DQM).
- D. To use a previously run Benchmark, select a previously created Benchmark task for the benchmark source and the target Cognos server that you want to compare to the benchmark.

Correct Answer: C

Incorrect Answers: B: You can run CQM reports in DQM in a Lifecycle Manager project as part of the CQM to DQM migration validation.

D: Users can compare live Cognos environments, or static files using previously saved Benchmark tasks. Benchmark allows you to create a point-in-time snapshot and use that as a baseline comparison.

Note: Lifecycle Manager is a stand-alone application that helps validate and compare report outputs within a single environment, between environments or between different versions of Cognos.

References: <https://www.ibm.com/communities/analytics/cognos-analytics-blog/cognos-lifecycle-managerenhancements-in-11-0-4/>

---



### QUESTION 3

An administrator needs to setup security for a newly installed environment. Which of the following is a valid step?

- A. Remove the default authentication provider.
- B. Enable anonymous access for selected users, groups, or roles.
- C. Delete the Everyone group to limit access to the environment for selected users, groups, and roles.
- D. Add trusted users, groups, or roles to the System Administrators role, and then remove the Everyone group from the role.

Correct Answer: D

You may not want all users that exist in an authentication source to have access to IBM Cognos software. To secure IBM Cognos software, configure the product so that only users who belong to a specific group

or role in your authentication source, or in the Cognos namespace, are allowed access.

We recommend using the Cognos namespace because it contains preconfigured groups and roles that help you to secure IBM Cognos software quickly. One of the preconfigured groups is Everyone.

By default, the group Everyone belongs to several built-in groups and roles in the Cognos namespace.

If you decide to use the Cognos namespace, you must remove the Everyone group from all built-in groups and roles and replace it with groups, roles, or users authorized to access IBM Cognos software.

References: IBM Cognos Administration Version 10.1.0, Administration and Security Guide, page 64

---

### QUESTION 4

An administrator must troubleshoot query execution related issues in a DQM executed report. How is this achieved?

- A. By default, settings to trace DQM Query execution are enabled in the system.
- B. Open IBM Cognos Configuration, under IBM Cognos Services/IBM Cognos, select QueryService and check Enable Query execution trace and view logs in /logs/XQE.
- C. Open IBM Cognos Administration portal, on the Configuration tab, select Dispatchers and locate QueryService and check Enable Query execution trace and view logs in /logs/XQE.
- D. Edit the install\_location/configuration/qfs\_config.xml.sample file and set , save as qfs\_config.xml, restart services.

Correct Answer: C

A query execution trace (run tree trace) shows queries that run against a data source. You use the trace to troubleshoot query-related issues.

You can find execution trace logs in the following location:

c10\_location/logs/XQE/reportName/runtreeLog.xml.



References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_10.2.0/com.ibm.swg.ba.cognos.ug\\_cog\\_rlp.10.2.0.doc/t\\_configsettings.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_10.2.0/com.ibm.swg.ba.cognos.ug_cog_rlp.10.2.0.doc/t_configsettings.html)

### QUESTION 5

An environment has the following routing rules set:

**Specify the routing rules**  
Specify the rules used to route requests to server groups. A routing rule consists of any combination of routing sets and of a server group.

Routing rules:

<input type="checkbox"/>	Sequence	Package routing set	Group routing set	Role routing set	Server group
<input type="checkbox"/>	1	(Any package) ▼	Austria ▼	(Any group) ▼	⇒ Group 1 ▼
<input type="checkbox"/>	2	Australia Package ▼	(Any group) ▼	(Any group) ▼	⇒ Group 2 ▼
<input type="checkbox"/>	3	Australia Package ▼	Australia ▼	(Any group) ▼	⇒ Group 1 ▼

[Add a rule](#)

If a report using the `Australia Package` is run by a user belonging to `Australia Group`, which server group will the request be sent to?

- A. Group 1
- B. Group 2
- C. The request will be sent to the first available server because there is more than one rule for the Australia Package.
- D. The request would fail because there is more than one rule for the Australia Package and only one for the Australia group.

Correct Answer: B

Unlike routing keywords, the order in which the routing rules are listed affects how they are applied. A rule is matched when properties associated with the package or the group or role involved in the request satisfy the criteria of the rule. The rules are evaluated in order until the first one is matched, and the request is routed to the server group named by the first rule that was matched. You can change the order of the rules by clicking Modify the sequence.

References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_10.2.2/com.ibm.swg.ba.cognos.ug\\_cra.10.2.2.doc/t\\_asg\\_set\\_routing\\_keywords\\_server.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_10.2.2/com.ibm.swg.ba.cognos.ug_cra.10.2.2.doc/t_asg_set_routing_keywords_server.html)