



# DES-5121<sup>Q&As</sup>

Specialist - Implementation Engineer - Campus Networking Exam

**Pass EMC DES-5121 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-5121.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

How does the weighted Queue Scheduler prioritize packets?

- A. Scheduler prioritizes weighted queues over any strict queues
- B. Weights are calculated based on the number of packets
- C. Weights are used to calculate the number of bytes
- D. Weight is assigned to each port

Correct Answer: C

Reference: <https://infohub.delltechnologies.com/static/media/6582046d-70f0-4ab6-ba72-2c0b9cf26649.pdf> page 6

---

### QUESTION 2

A customer is upgrading their campus network Access layer switches. They require 2-10GbE uplinks, 48-1GbE ports with PoE, and stacking capability of up to 12 units. Which Dell EMC N-Series model will meet the customer's requirements?

- A. N1100 Series
- B. N1500 Series
- C. N2000 Series
- D. N4000 Series

Correct Answer: C

Reference: [https://www.dellemc.com/resources/en-us/asset/data-sheets/products/networking/dell\\_emc\\_powerswitch\\_n2000\\_series\\_specsheet.pdf](https://www.dellemc.com/resources/en-us/asset/data-sheets/products/networking/dell_emc_powerswitch_n2000_series_specsheet.pdf)

---

### QUESTION 3

Which RSTP-PV features are embedded and cannot be disabled?

- A. DirectLink Rapid Convergence and DirectLink Fast Rapid Convergence
- B. IndirectLink Rapid Convergence and IndirectLink Fast Rapid Convergence
- C. DirectLink Rapid Convergence and IndirectLink Fast Rapid Convergence
- D. DirectLink Fast Rapid Convergence and IndirectLink Rapid Convergence

Correct Answer: C

Reference: <https://www.manualslib.com/manual/858353/Dell-Networking-N4000-Series.html?page=724>

---



#### QUESTION 4

A network administrator is planning a PoE budget for their network.

What is the PoE source maximum power budget for a Class 4 end device?

- A. 12.95 watts
- B. 15.4 watts
- C. 34.2 watts
- D. 60 watts

Correct Answer: C

Reference: [http://ftp.dell.com/manuals/all-products/esuprt\\_ser\\_stor\\_net/esuprt\\_networking/esuprt\\_net\\_fxdprt\\_swch/networking-n3000-series\\_User\\'s-Guide10\\_en-us.pdf](http://ftp.dell.com/manuals/all-products/esuprt_ser_stor_net/esuprt_networking/esuprt_net_fxdprt_swch/networking-n3000-series_User\\'s-Guide10_en-us.pdf) page 82

---

#### QUESTION 5

A Dell EMC N-Series switch is configured to uplink to a customer switch using two separate 4-port port-channels configured as trunks. Both switches are configured with 16 VLANs and RSTP.

How will VLAN traffic be distributed across the port-channels?

- A. All VLANs are allowed across a single port-channel
- B. A single VLAN is allowed across each port-channel
- C. All VLANs are allowed across both port-channels
- D. Eight VLANs are allowed across each port-channel

Correct Answer: A

[DES-5121 VCE Dumps](#)

[DES-5121 Practice Test](#)

[DES-5121 Exam Questions](#)