Exam : 000-910

Title : managing and optimizing

informix dynamic server

databases

Version: DEMO

1. Where are table spaces (tblspaces) created?					
A. in dbspaces					
B. in pages					
C. in extents					
D. in chunks					
Answer: A					
2. What is database administration NOT concerned with?					
A. indexing					
B. creating tables					
C. accessing data					
D. application building					
Answer: D					
3. Disk space for a table is allocated in one or more units called what?					
A. tblspaces					
B. extents					
C. blobs D.					
chunks					
Answer: B					
4. What is a chunk when using raw devices?					
A. a contigous unit of disk space.					
B. a dynamic unit of disk space.					
C. a location in shared memory					
D. a data table.					
Answer: A					
5. Which statement correctly changes the next extent size?					
A. ALTER TABLE customer MODIFY NEXT SIZE 300					

- B. ALTER TABLE customer MODIFY NEXT EXTENT SIZE 300 C. ALTER TABLE customer MODIFY EXTENT SIZE 300 D. ALTER TABLE customer NEXT SIZE 300 Answer: A 6. What is the system catalog? A. A catalogoued set of index criteria. B. A set of tables created by the administrator C. A set of tables that manage the operating system D. A set of tables that describe the structure of the dataabase. Answer: A 7. With database logging, where are transaction records first placed? A. in a temporary database table. B. in the logical log buffer. C. in the primary chunk D. in the physical buffer. Answer: B 8. Where is fragment information stored? A. in th system catalog tables.

 - B. in the physical logs.
 - C. in the reserved pages.
 - D. in the first page of the database tblspace.

Answer: A

- 9. Which two types of fragmentation are allowed in a CREATE TABLE statement?
- A. disk striping
- B. dbspace
- C. indexing

E. mirroring F. tblspace G. sorting H. expression Answer: DH 10. Why is a hash function advantageous in an expression-based distribution? A. Because it creates an even distribution of data. B. Because it creates an uneven distribution of data. C. Because it does not do expression testing. D. Because it places all data in one dbspace. Answer: AB 11. Which two happen when the ALTER FRAGMENT statement is run? A. Transaction logging, if present, is suspended. B. The table is locked until the statement is completed. C. The database is locked until the statement is completed. D. For databases with logging, the statement executes as a single transaction. Answer: BD 12. Which fragments an index by expression? A. FRAGMENT BY EXPRESSION col_1 B. FRAGMENT BY EXPRESSION col_2 > = 10000 IN dbspace1 AND col_2 < 10000 IN dbspace2 C. FRAGMENT BY EXPRESSION col_1 < 10000 AND col_2 IN dbspace2 D. FRAGMENT BY EXPRESSION col < 20000 IN dbspace1, col >= 20000 IN dbspace2 Answer: D

D. round robin

13. What are four vaild logical and relational operators that can be used with expression-based					
distribution?					
A. AND					
B. IN					
C. <					
D. >=					
E. !=					
F. MATCHES					
Answer: ABCD					
14. In which two situations would you use a round robin fragmentation strategy?					
A. When all fragments must be scanned.					
B. To create uneven data distributions.					
C. When queries perform sequential scans and you have little information about the data being stored.					
D. When tables are accessed with a high degress of selectivity.					
Answer: AC					
15. What are three advantages of fragmentation?					
A. higher availability.					
B. reduced disk space requirements.					
C. parallel scans are possible with PDQ.					
D. finer granularity of archives and resources.					
Answer: ACD					
16. What does the ATTACH clause in the ALTER FRAGMENT statement do?					
A. It adds extents to a table.					
B. It attaches a raw data file to a table.					
C. It combines two unfragmented tables.					
D. It combines two fragmented tables.					
Answer: C					

17. Which statement fragments a table as round robin? A. FRAGMENT AS ROUND ROBIN IN dbspace1, dbspace2. B. FRAGMENT TABLE BY ROUND ROBIN IN dbspace1, dbspace2. C. FRAGMENT BY ROUND ROBIN IN dbspace1, dbspace2. D. FRAGMENT BY ROUND ROBIN Answer: C 18. Given that the SQL statement SET LOCK MODE TO WAIT has not been executed, if a statement attempts to alter a row that another process has locked, what happens? A. The lock is released. B. An error is returned. C. The row is immediately updated. D. The row is updated after the lock is removed. Answer: B 19. Which isolation level does a database without logging default to? A. committed read B. dirty read C. mode ANSI D. repeatable read Answer: B 20. Which three can be locked? A. a row B. a page C. a column

D. a key

E. shared memory

Answer: ABD

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.